

SECTION I
INDEX TO VOLUME 25

Authors

- Baird, E. A.—See Trussell, P. C.
- Beall, D.—See Trussell, P. C.
- Bowman, J. M.—See White, F. D.
- Choquette, L. P. E.—See Miller, M. J.
- Cleghorn, R. A.—Studies of shock produced by muscle trauma. III. The effect of serum, isinglass, glucose, certain salts, and adrenal cortical hormones on survival, 86.
- Crawford, J. N. and Reid, J. A. G.—Nutritional disease affecting Canadian troops held prisoner of war by the Japanese, 53.
- Curl, M.—See Hare, R.
- D'Aoust, T.—See Pugsley, L. I.
- Dowding, E. S.—The pulmonary fungus, *Haplosporangium parvum*, and its relationship with some human pathogens, 195.
- Dugal, L.-P. and Thérien, M.—Ascorbic acid and acclimatization to cold environment, 111.
- Forde, W. O.—See Jasper, H. H.
- Gaudry, R.—See Page, E.
- Gingras, R.—See Page, E.
- Grant, G. A.—See Trussell, P. C.
- Hare, R. and Curl, M.—Adsorption of influenza virus, 43.
- Helson, V. A., Stevenson, J. W., and Reed, G. B.—Yield of botulinum toxin in concentrated media, 25.
See Stevenson, J. W.
- Jasper, H. H. and Forde, W. O.—The R.C.A.M.C. electromyograph Mark III, 100.
- McLeod, J. A. and McLintock, J.—Anophelism and climate in relation to malaria in Manitoba, 33.
- McLintock, J.—See McLeod, J. A.
- McNelly, E.—See Riddell, W. A.
- Miller, M. J. and Choquette, L. P. E.—Studies on amoebiasis in Canada. Part I. The incidence of intestinal protozoal infections in two institutionalized groups in Canada, 1.
- Noble, R. L. and Toby, C. G.—Observations on shock produced in the rat by limb ischaemia, 189.
- Page, E., Gaudry, R., and Gingras, R.—The non-availability of lysine from the corresponding hydantoin in the rat, 207.
- Pallister, E. F.—See Rice, C. E.
- Pugsley, L. I., Wills, G., and D'Aoust, T.—The vitamin A activity and carotene content of tomato juice, 162.

- Reed, G. B.**—See Helson, V. A.; Rice, C. E.; Stevenson, J. W.
- Reid, J. A. G.**—See Crawford, J. N.
- Rempel, J. G.**—See Riddell, W. A.
- Rice, C. E.**—A preliminary study of the antigenic activity of mixtures of *Clostridium botulinum* toxoid Types A and B, 181.
- , Pallister, E. F., Smith, L. C., and Reed, G. B.—*Clostridium botulinum* Type A toxoids, 167.
- , Smith, L. C., Pallister, E. F., and Reed, G. B.—*Clostridium botulinum* Type B toxoids, 175.
- Riddell, W. A.**, Rempel, J. G., and McNelly, E.—The specificity of the precipitin reaction, as used in the study of mosquito feeding habits, 210.
- Smith, L. C.**—See Rice, C. E.
- Stevenson, J. W.**, Helson, V. A., and Reed, G. B.—A casein digest medium for toxin production by *Clostridium*, 9. Preparation of *Clostridium parbotulinum* toxins, 14.
See Helson, V. A.
- Thérien, M.**—See Dugal, L.-P.
- Toby, C. G.** and Noble, R. L.—Effect of dietary protein on susceptibility of rats to trauma, 216.
Influence of replacement therapy on the increased susceptibility of protein-deficient rats to trauma, 227.
See Noble, R. L.
- Trussell, P. C.**, Baird, E. A., Beall, D., and Grant, G. A.—A rapid method for the assay of penicillin, 5.
- White, F. D.** and Bowman, J. M.—The estimation of trypsin, 153.
- Wills, G.**—See Pugsley, L. I.
- Young, L.**—A micropipette suitable for the cutaneous application of vesicants, 137.
Observations on the effects of mustard gas on the rat, 141.

SECTION E

INDEX TO VOLUME 25

Subjects

- Acclimatization**, See Ascorbic acid.
- Adrenal hormones**, See Shock.
- Adsorption** of influenza virus, 43.
- Amoebiasis in Canada**, Incidence of intestinal protozoal infections in two institutionalized groups, 1.
- Anophelism** and climate in relation to malaria in Manitoba, 33.
- Antigenic activity**, See Clostridium.
- Ascorbic acid** and acclimatization to cold environment, 111.
- Assay of penicillin**, Rapid method for, 5.
- Botulinum toxin**, See Clostridium.
- Canadian troops**, See Disease.
- Carotene** content of tomato juice, 162.
- Casein digest medium**, See Clostridium.
- Climate**, See Anophelism.
- Clostridium**
Botulinum toxin, Yield of, in concentrated media, 25.
Casein digest medium for toxin production by, 9.
C. botulinum toxoid Types A and B, Antigenic activity of mixtures of, 181.
C. botulinum Type A toxoids, 167.
C. botulinum Type B toxoids, 175.
C. parabotulinum toxins, Preparation of, 14.
- Cold environment**, See Ascorbic acid.
- Dietary protein**, See Rats.
- Disease**, Nutritional, affecting Canadian troops held prisoner of war by the Japanese, 53.
- Electromyograph**, R.C.A.M.C. electromyograph Mark III, 100.
- Feeding habits of mosquitoes**, See Mosquito.
- Fungi**, See Clostridium and Haplosporangium.
- Glucose**, See Shock.
- Haplosporangium parvum** and its relationship with some human pathogens, 195.
- Hormones**, See Shock.
- Hydantoin**, See Rat.
- Infection**, See Amoebiasis.
- Influenza virus**, Adsorption of, 43.
- Ischaemia**, See Shock.
- Isinglass**, See Shock.
- Japanese**, See Disease.
- Limb ischaemia**, See Rat.
- Lysine**, See Rat.
- Malaria**, See Anophelism.
- Media**, See Clostridium.
- Micropipette** suitable for the cutaneous application of vesicants, 137.
- Mosquito feeding habits**, Specificity of precipitin reaction as used in, 210.
- Muscle trauma**, See Shock.
- Mustard gas**, See Rat.
- Nutritional disease**, See Disease.
- Pathogens**, Human, as related to Haplosporangium parvum, 195.
- Penicillin**, Rapid method for assay of, 5.
- Precipitin reaction**, See Mosquito.
- Prisoner of war**, See Disease.
- Protein**, See Rats.
- Protozoa**, See Amoebiasis.
- Pulmonary fungus**, See Haplosporangium.
- Rat(s)**
Effect of dietary protein on susceptibility of, to trauma, 216.
Effect of mustard gas on, 141.

Rat(s)—Concluded

Non-availability of lysine from the corresponding hydantoin in, 207.

Protein deficient, Influence of replacement therapy on increased susceptibility of, to trauma, 227.

Shock in, produced by limb ischaemia, 189.

Replacement therapy, See Rats.

Salts, See Shock.

Serum, See Shock.

Shock

produced by muscle trauma, Effect of serum, isinglass, glucose, salts, and adrenal cortical hormones on survival after, 86.

produced in the rat by limb ischaemia, 189.

Survival, See Shock.

Susceptibility, See Rats.

Therapy, See Rats.

Tomato juice, Vitamin A activity and carotene content of, 162.

Toxin, See Clostridium.

Toxoid, See Clostridium.

Trauma, See Rats.

Trypsin, Estimation of, 153.

Vesicants, See Micropipette.

Virus, Influenza, Adsorption of, 43.

Vitamin A activity of tomato juice, 162.

